



## IGNITE EXTRA SEMI SYNTHETIC

### PRODUCT DESCRIPTION:

IGNITE EXTRA is an advanced engine oil engineered to provide exceptional engine protection while enhancing fuel economy. Meeting the latest industry standards for "Full SAPS" passenger car lubricants, it outperforms conventional oils. This oil is designed to offer superior oxidation resistance, enhanced deposit protection, improved wear protection, and excellent low-temperature performance, ensuring optimal engine performance throughout the life of the oil.

### APPLICATION:

Recommended for gasoline fueled automobiles and light-duty trucks requiring an API Service Category SN/CF.

### FEATURES & BENEFITS:

- Outstanding wear protection under a wide variety of operating conditions
- Special cleaning additive to help prevent the formation of sludge and harmful deposits
- Optimal engine operating temperature, owing to thermal control formula
- Limits formation of deposits on the most loaded engine parts
- Provides safe operation of catalytic exhaust converters
- Resistant to extreme thermal load, due to high quality of base oil
- Enables fast and easy start in extreme temperature conditions
- Extra cleaning performance

### PERFORMANCE LEVELS /MEETS OR EXCEEDS:

- API SN/CF
- ACEA A3/B3/B4
- MB 229.3/226.5
- Renault RN0700/RN0710

### TYPICAL PROPERTIES:

PARAMETERS	ASTM	UNIT	IGNITE EXTRA	
Grade			10W30	10W40
Kinematic Viscosity @ 104°F /40°C	D7042	cSt	TBR	TBR
Kinematic Viscosity @ 212°F /100°C	D7042	cSt	11.5	14.9
Viscosity Index (min)	D2270	-	145	145
Density@15°C/ 60°F	D4052	g/cm <sup>3</sup>	TBR	TBR
Flash Point (min)	D92	°C	220	220
Pour Point (max)	D97	°C	-36	-36

**DISCLAIMER:** The test data provided above is for reference purposes and is not a strict specification, as variations within acceptable production tolerances may occur. Phoenix reserves the right to update or revise this test data. For the most accurate and up-to-date information, please consult the latest version of this Technical Data Sheet (TDS).

### HEALTH & SAFETY, ENVIRONMENT:

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website [Phoenixlubricants.com](http://Phoenixlubricants.com)

